

Tomorrow's Mettle



Bhoruka Extrusions Pvt Ltd.

“Our vision is to be the extruder of choice for iconic projects by delivering products and services that reduce our customers' total cost of ownership. We do this through innovative technology and a commitment to sustainability, customer satisfaction, and operational excellence”

Established in 1979

100% subsidiary of \$8 Billion YKK AP Inc. Japan

Extrusion capacity of 1200 MT / Month (6"/ 8"/ 9" - extrusion press)

In-house Anodizing capacity of 250 MT / Month (Italtechno, Italy)

In-house Powder coating capacity of 350 MT / Month (Nordson , U.S.)

In-house Machining Facility with new CNC Machining Centres from FOM Industries, Italy

Approved PE-F/D-1036 and PE-SDF/D-2525 Applicator

Award winning SAP implementation (ECC 6.0)

Approved extruder of systems – Airclos, Alu-K, Asahi, Dorma, EFP, IWIN-S, Lixil, Reynaers, Schueco

Online self-updating E-catalogue (www.bhorukaecatalogue.com)

Online order tracking through SAP (Bhoruka 360 CRM portal) and Planning (E-Planner)


Branches: Bangalore, Chennai, Coimbatore, Delhi, Hyderabad, Mumbai, Mysore, Pune

Dedicated Enquiry teams - enquiries@bhorukaextrusions.com

YKK GROUP

YKK CORPORATION

YKK AP Inc.



The YKK Group consists of YKK Corporation, the parent company, which produces fastening products, and YKK AP, which produces architectural products. At the center, we have the Machinery & Engineering Department, which supports research and development.

We build our own machinery to produce zippers, windows, and doors. These three business groups are the basis for global management.

YKK CORPORATION

- **Founded** : January 1, 1934
- **Capital** : US\$121 Million

YKK AP Inc.

- **Founded**: July 22, 1957
- **Capital**: US\$101 Million
- **Number of Employees** : 19,400
[As of Feb 2020]

YKK GROUP

- **Description of Business**
Fastening Products, Architectural Products, Manufacturing and Sales of Fastening and Architectural Machinery
- **Number of affiliated Companies**
72 countries/regions worldwide.
Japan: 18 Overseas: 91
Total : 109 companies
- **Number of Employees**
Japan : 17,789
Overseas : 28,472
Total (Worldwide) : 46,261 (As of March 2020)
- **Sales** (Consolidated Basis) (Fiscal Year 2020)
Fastening : US\$2,781 Million
Architectural Products : US\$3,919 Million
Others: US\$ 44 Million
Total Sales (Worldwide) : US\$6,744 Million
(US\$=108.61 Yen)

「 CYCLE OF GOODNESS 」



Typeface: Tenshiyo / Pen name: 「Rituzann」
(It is named after the Tateyama mountain range that I looked up to forever)



Founding president Tadao Yoshida

“No one prospers unless they render benefit to others”

“If we keep creating **new values by innovative ideas** and **inventions** through our business activity, we can expand our business. That brings **prosperity to our customers** and business partners, and as a result, we can **make a contribution to society**”



Residential Business

(Main products)
Windows
Entrance doors and sliding doors
Interior doors and partitions
Window shutters

Exterior Business

(Main products)
Balconies
Carports
Gates and fences
Terraces
Exterior materials

Renovation Business

(Main products)
Window remodeling
Door remodeling
Building renovation
Quake-resistance retrofitting

Commercial Products Business

(Main products)
Office building windows
Curtainwalls
Building entrances
Windows and doors for low- and medium-rise residential buildings
Remodeling products

Facade Business

(Line of business)
High-rise and complex curtainwalls
Design, construction and sales of related products

Industrial Products Business

(Main products)
Components of machinery and equipment
Auto parts
Architectural components
Eco-friendly products

No. of offices and centers in Japan

198

No. of manufacturing bases in Japan

24

No. of employees in Japan

12,311

Overseas presence in

10
countries/regions

No. of major overseas manufacturing bases

8

No. of overseas employees

4,010

Advanced into Overseas Market since 1976 Building Local Business (10 Countries / Regions 15 Bases)

Dalian YKK AP Co., Ltd. (1999)

Headquarters: Dalian
Manufacturing Center: Dalian

YKK AP (Suzhou) Co., Ltd. (2002)

Headquarters: Suzhou
Manufacturing Center: Suzhou

YKK AP Co., Ltd. (2001)

Headquarters: Shanghai

YKK AP (China) Investment Co., Ltd. (2002)

Headquarters: Shanghai
Manufacturing Center: Shenzhen

Bhoruka Extrusion Pvt. Ltd. (2013)

Headquarters: Mysore
Manufacturing Center: Mysore

YKK AP MYS Sdn. Bhd (2011)

Headquarters: Kuala Lumpur

YKK AP Taiwan Co., Ltd. (1989)

Headquarters: Taipei
Manufacturing Center: Yangmei

YKK AP HONG KONG Ltd.

Headquarters: Hong Kong

YKK AP Facade Vietnam Co., Ltd. (2013)

Headquarters: Ho Chi Minh

PT YKK AP INDONESIA

The Resident Representative Office in Vietnam (2012)

YKK AP (THAILAND) CO., LTD (2015)

Headquarters: Bangkok

YKK AP Singapore Pte Ltd. (1976)

Headquarters: Singapore

YKK AP Facade Pte Ltd. (2008)

Headquarters: Singapore

PT YKK AP INDONESIA (1986)

Headquarters: Tangerang
Manufacturing Center: Tangerang

Erie Architectural Products Inc. (2019)

Headquarters: Ontario(Canada)

YKK AP America Inc. (1991)

Headquarters: Atlanta
Manufacturing Center:
• Commercial- Dublin,
Dallas,
Cincinnati
• Residential- Macon

● Headquarters & Manufacturing Center

● Headquarters

● Manufacturing Center

● Representative Office

※As of June 2020

Grand Concept

YKK AP presents operational excellence built up around the world combining research and development through detailed study of the climate and characteristics of each region, to conceptualize new ideas creating comfortable environment for the people residing.




Product Characteristics






IWINTMS

Quality with a Difference

Setting Standards of Residential Fenestration Quality in India













□ Performance

Structural (Wind Load)		2500 Pa Deflection: 1/175 [ASTM E 330]
Air Infiltration		1.12m ³ / (h · m ²) Maximum at 75 Pa [ASTM E 283]
Water Tightness		350 Pa / 300 Pa [ASTM E 331 · 547]
Sound Insulation		GradeT-2 [30dB] [JIS A 1416]
Open-Close Testing		10,000 Cycle No Damage [JIS A 4706]

Tested System with Basic Performance
Safety and operation measures are considered
to create a comfortable living environment

□ Product Line Up

Sliding	Fixed / Casement Door
<p>Sliding 2 LEAF (2 Track)</p> 	<p>Fix</p> 
<p>Sliding 4 LEAF (2 Track)</p> 	<p>Top Hung</p> 
<p>Sliding 3 LEAF (3 Track)</p> 	<p>Casement</p>  
<p>Sliding 6 LEAF (3 Track)</p> 	<p>Door</p>  

Organization Chart



Mr. Fumihiko Umano
Managing Director



Mr. Abhishek K
Extrusion



Mr. Hamagishi Kodai
Technical Director



Mr. Prashanth C
Powder Coating



Mr. Rajat Agarwal
Sales Director



Mr. Syed Moinuddin Zaman
Quality



Mr. Prasanna Venkatesh
Factory Manager



Mr. Praveen M H
Accounts and Finance



Ms. Suma S
Planning



Mr. Pradeep Rajshekar
HR

Billet Casting

Die Manufacturing

Extrusion

Anodising

Powder Coating

Machining

Components

TECHNICAL FACT SHEET

Parameters	Press-1	Press-2	Press-3
MAKE	Wean United (USA)	Year Chang (Taiwan)	Cheng Hua (Taiwan)
Strength of extrusion press (TONS)	1800	1100	2750
Diameter of billet	203 mm	152 mm	228mm & 203mm
Diameter of container	210 mm	158 mm	236mm & 210mm
Diameter of main Cylinder - Inches	37	29.5	44.48
Diameter of small Cylinder - Inches	9	7.087	9.09
Maximum pressure of Press (BAR)	210 BAR	210 BAR	230 BAR
Mark of Billets	6063, 6005, 6105, 6061		6063, 6060, 6101, 6005, 6351, 6061, 6082
(6063-6060)			
Conveyor Length	36Mtrs.	36Mtrs.	50.90 Mts
Type of Billet Oven (gas, diesel, induction)	Hot log shear	Induction	Hot log shear
Type of Puller	Track type	Track type	Track type

TOOL ROOM

Die types	Solid, Hollow, Semi-hollow
Dia CCD	Solid – 254mm; Hollow-230mm
# of sections	>14,000
Lead Time	Solid - 15 days; Hollow - 21 days

BHORUKA ANODISING

Make	Italtecnio, Italy
Microns	5 to 25
Colors	Silver, Champagne, Bronze
Maximum Length	6400 mm
Finish	Matt, Brush

BHORUKA POWDER COATING

Pre - Treatment	Chemetall, Germany
Powder Coating	Nordson , U.S.
Spray System	Automatic
Thickness Range	60 To 120 Microns
Colors	All RAL Shades
Type	Metallic / Non Metallic
Gloss	High Glossy, Semi Glossy, Matt
Finish	Plain, Texture, Structure
Max Length	7500 mm

MACHINING

Machining Centres	FMC 340, Blitz Alva-550 Double Head Cutting
Make	FOM Industries, Italy
Operations	Milling, Drilling, Boring, Countersinking, Angle Cutting, Turning & Tapping

Chemical & Mechanical Composition of the Alloy 6xxx Series

Chemical Composition as Per EN 573-3:2007

Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Aluminium Min
6063	0.20-0.60	0.35	0.1	0.1	0.45-0.90	0.1	0.1	0.1	Remainder
6060	0.30-0.60	0.10-0.30	0.1	0.1	0.35-0.60	0.05	0.15	0.1	Remainder
6005	0.6-0.90	0.35	0.1	0.1	0.40-0.60	0.1	0.1	0.1	Remainder
6082	0.7-1.3	0.5	0.1	0.4-1.0	0.6-1.2	0.25	0.2	0.1	Remainder
6101	0.30-0.7	0.5	0.1	0.03	0.35-0.8	0.03	0.1	0	Remainder
6351	0.7-1.3	0.5	0.1	0.40-0.8	0.40-0.8	0	0.2	0.2	Remainder



Mechanical properties as per DIN 755-2/IS-1285

Alloy/T6	Tensile Strength, <i>min</i> MPa	Proof Stress <i>min</i> MPa	Elongation A50mm <i>min</i> in %
6060	185	150	7
6101	200	170	8
6063	185	150	7
6005	255	200	15
6061	290	235	7
6351	295	255	7
6082	295	255	7

Tempers:

- T4-Solution heat treated & naturally aged
- T5-Cooled from hot working and artificially aged (at elevated temperature)
- T6-Solution heat-treated & naturally aged.

Extrusion Range Guidelines



- Unique Identification mark in all new profile developments (since 2015)
- This Identification mark will be prominent throughout the profile length (utilizing only 0.3mm thickness)
- It will be located at only non-functional and unexposed/hidden area of the profile.
- ID mark will be non-functional/ un-exposed area)

8"--Press-1 (1800UST)

Square	125x125mm
Rectangle	170x65mm
Circle	Ø155mm

9"--Press-3 (2750UST)

Square	170x170mm
Rectangle	200x100mm
Circle	Ø200mm
Elliptical	250x50mm

6"--Press-2 (1100UST)

Square	80x80mm
Rectangle	100x60mm
Circle	Ø100mm

- **Extrusion**



- **Billet Casting**



- **Die Tooling**



- **Anodizing**



- **Powder Coating** • **Components**






- Percentage on complaints is at all-time low! Well below industry norms
- Rework percentage was very low and achieved the lowest plant rejection rate of 3.5 % last year
- Customer rejection is less than 0.27%

“No QC teams are needed, every process has QC inbuilt”


Mr. Syed Moinuddin Zaman
Quality control



>14,000 customizing choices



- With state of the art technology with latest machinery like CNC wire cutting, surface grinding etc, which helps improving die quality
- R&D is intrinsic to our process, we design exactly to your need
- We are consistently developing ~100 dies/month of which 75% are for new shapes



With our 3D-printing technology our customers can test the product for snap/slide fitment or gasket development prior to die manufacturing

- FFF printing technology with auto platform calibration.
- Print up a 60-micron resolution with a 0.25mm nozzle.

Building and Construction

We are one of the **largest direct-sales suppliers to the building and construction sector** in India and offer various products ranging from Doors, Windows, Railings, Formwork, Shutters, Curtain Wall systems and more in a wide variety of shapes, sizes and finishes! Our value offerings can be broadly categorised as follows -

Catalogue

Our catalogue contains more than 10,000 sections that Bhoruka has developed by virtue of being in the industry for more than 40 years. It offer a wide variety of readily available designs from various industries and sectors for you to choose from

Made-to-order

Drawing from our vast experience, our Design and Engineering department excels at meeting specific customer requests as per the needs and demands of various projects and helps in turning your vision into reality

Systems

We have the unique distinction of being the only extruder in India associated with many globally reputed systems such as Airclos, AluK, Dorma, EFP, Schueco to name a few. We will be delighted to offer their range of products through authorised channels

[E-Catalogue](#) Online self-updating catalogue with unique set of features

- Get instant access to thousands of profiles listed by different categories/sub-categories
- View product images & description along with other details
- Download drawings in PDF format right on your computer
- Send us an enquiry with complete details directly from the software
- Search by 'section number'
- More than 50 designs automatically added every month right on your computer
- Choose from our on-line as well as off-line module for on-the-go work

OEM

Since our inception, Bhoruka has been catering to the growing demand and utilization of aluminum in various sectors ranging from – Electronics, Transportation, Textiles, Renewable Energy, Defense, Aerospace etc. We also specialize in the development of custom-made profiles under our made-to-order offering. We have extensive experience in working with various industrial alloys such as 1060, 6063, 6005, 6082, 6061. Some of the key sectors served by us are –

Electrical & Electronics

One of the earliest uses of aluminum sections was in the Electrical & Electronics sector. Bhoruka has been supplying aluminium in this sector for over 30 years. Most of our sections are used for applications which require very good conduction, heat control, heat transfer etc. We manufacture a wide variety of sections using different alloys depending on the end-use of our customers

Transportation

We have got a wide range of sections which are used in the Transportation Sector. Some of our product range includes sections for Bus Body & Truck Body. Bhoruka also manufactures sections for carriers, footsteps and other light SUV requirements

Textile industry


We supply various sections for for the textile industry, which is an important part of the Indian economy. The quality & precision of these sections are of high importance & Bhoruka is committed in providing both the right quality & service to this sector


Renewable Energy

Bhoruka has been always committed to a safer and better environment. Keeping this in mind we have dedicated offerings for our solar panel and windmill customers. These sections are often supplied in natural anodizing which are all done at our own in-house facility.

Key Features of buying from Bhoruka

Factor	Bhoruka	Competitor	BEPL-Advantage
SO Release	Pieces	Kgs	Matches with FAB Cutting-list software
Weight Measurement	Drawing Mean Weight	Actual Weight	Matches with Tender weight, PO-Invoice consistency, ~3.5% savings on powder weight
Dispatch Tolerance	1-1000 pcs (-0%+5%)/ >1000 pcs (-0%+2%)	+/- 10% in Kgs	Reduced inventory and less total cost
Matching Section	@Aging and Invoice blocked	No check	Reduced inventory at customers
Order Status	Online	NA	Customer can track PO-Invoice online
Est Dt Dispatch	E-Planner (March 2019)	MS Excel	Customers can plan operations based on estimated date of dispatch





BHORUKA 360°
THE ALUMINIUM ARCADE

INV #: 0094422632 Dated: 02 Mar 2021

SO #	:	Transporter Name	:	OTHER PARTY
PO #	:	Transporter LR #	:	
PO Date	:	Vehicle #	:	
Project Name	:	Driver Phone #	:	
Deliver #	:			
Text	:			

Uploaded Documents

1	Warranty certificate	-
2	Test certificate	
3	Photos	
4	Packing List	

- Industry-first CRM Module Bhoruka 360 for customers (100% automated via SAP)
- Invoices, test certificate and packing list are readily available in the portal
- Live updates on your orders are made available
- Real-time order status and expected order completion dates

“Multi-dimensional operational metrics gives me a 360° view”



Mr. Mathew Shijoy



Ms. Suma S

Interpon D1000




Interpon D3000




InterponD2000



PE-SDF



PE-F




ISO 9001:2015



IGBC



GRIHA



FMC 340

- Make - FOM Industries, Italy.
- Fully automated processing center
- 4 Interpolating axes for the machining of aluminium profiles with a cross section of 180×270 mm and tubes up to 3 mm thick.
- Can perform operations such as Milling, Drilling, Countersinking, Angle Cutting, Turning & Tapping.



BLITZ ALVA - 550

- Make - FOM Industries, Italy.
- A high-performance Double Head Cutting machine that is specifically designed for cutting operations.
- Equipped with advanced technology and features that allows for high precision and accuracy in cutting
- Maximum Cutting Capacity between 2 Heads- 6.6m

Transport

- Metro coaches
- Gangway part

Automotive

- Foot Step
- Roof Rails

Textile

- Roving Tubes
- Bobbin Rail

Projects

- Radiant Baffle
- Cycle frames



Machining – Inhouse machines from Emmegi, and Hurco

Project Management - Developing the entire value chain and taking responsibility upto end delivery

Designing – Working with customer to simplify their designs for efficiency and cost reduction

Tools and Fixture Developments – To improve storage and packaging specific to projects

Special Purpose Machine (SPM) - Developed bending , and turning machines inhouse

Sub Assembly – Steel, plastic, wooden and electronic sub assembly



#427E, Hebbal Industrial Area
Mysore – 570016
Karnataka, **India**
Phone- +91 - 821 - 2510351 / 2513876

E-mail: marketing@bhorukafabcons.com
Web: www.bhourkafabcons.com







BHORUKA

A YKK AP COMPANY

When you think extrusion, think **Bhoruka**,
Your partner of choice

Thank You